



Renault KANGOO 1.2 tce

Specifications & Features - New Zealand

| Specifications / Features | Auto |
|---|--------------------------|
| ENGINE | |
| 4 Cylinder Direct Petrol Injection Turbo, Capacity (cc) | 1197 |
| Power kW @ rpm | 84 @ 4500 |
| Torque Nm @ rpm | 190 @2000 |
| Combined Cycle (L/100km) | 6.5 |
| TRANSMISSION | |
| 6 speed Auto (EDC Electronic dual clutch) | • |
| STEERING, BRAKES & TYRES | <u> </u> |
| Turning circle (m) | 10.7 |
| Discs brakes front and rear | • |
| Wheels / Tyres | 6 Jx15 195/65 R15 91T |
| Full size spare wheel | • |
| CAPACITY | <u>'</u> |
| Fuel tank(L) | 56L |
| SAFETY AND SECURITY | |
| ABS (Anti-Lock Braking system) with EBA (Emergency Brake Assist) | • |
| Electronic Stability Control (ESC) with ASR (Traction Control) | • |
| 3-point height adjustable seat belts with pre tensioner | • |
| Driver and passenger airbags | • |
| Engine immobiliser | • |
| Remote central locking | • |
| Renault Anti Intruder Device (R.A.I.D.) door deadlocking & auto "on the move" ocking | • |
| orking Variable Speed intermittent windshield wipers | • |
| Rear Fog Lamp | • |
| TECHNOLOGY | |
| Multifunction trip computer | • |
| Bluetooth hands-free connectivity with audio streaming | • |
| USB audio input & 3.5mm aux jack | • |
| 12V Auxiliary power outlets | • |
| Audio system with AM/FM CD/MP3 and steering mounted controls | • |
| Reverse parking sensors | • |
| Reverse parking camara | • |
| EXTERIOR FEATURES | · |
| Rear mud flaps | • |
| Protective body side mouldings | • |
| Electrically Adjustable Door Mirrors | • |
| Left sliding cargo door - Glazed | • |
| Right sliding cargo door - Glazed | • |
| Dual rear doors with 180 degree opening - glazed | • |
| Rear windscreen wiper | • |
| 15" steel wheels with wheel centre covers | • |
| INTERIOR FEATURES | · |
| Single front passenger seat | • |
| Height adjustable steering wheel | • |
| Power steering | • |
| Centre consul with integrated armrest | • |
| Power steering | • |



| truic front windows valual air conditioning tal clock ARGO AREA di down passanger seat with swivelling Bulk head height cargo area lining ARGO AREA DIMENSIONS * varies | • |
|--|------------|
| attal clock ARGO AREA If down passanger seat with swivelling Bulk head height cargo area lining k Cargo tie down points rrior cargo area lighting ARGO AREA DIMENSIONS * Jume go bay length /passanger seat folded down go bay width between rear wheel arches go bay height ding height EIGHTS (KG)* ss vehicle mass (GVM) ss vehicle mass (GVM) be weight load wing weight, braked wing weight, un-braked MENSIONS (MM)* eelbase arall height serall length arall width (excluding door mirrors) | • |
| ARGO AREA If down passanger seat with swivelling Bulk head If height cargo area lining If cargo tie down points If cargo area lighting I | • |
| ARGO AREA If down passanger seat with swivelling Bulk head height cargo area lining If cargo the down points fror cargo area lighting ARGO AREA DIMENSIONS * Jume Ig go bay length / passanger seat folded down Ig go bay length / passanger seat folded down Ig go bay height Id ling height EIGHTS (KG)* Is see whiche mass (GVM) Is se combination mass (GCM) Is weight Is load Ving weight, braked Ving weight, un-braked MENSIONS (MM)* Is eall height Is reall length Final length Final length Final width (excluding door mirrors) | • |
| d down passanger seat with swivelling Bulk head height cargo area lining cargo area lining cargo area lighting ARGO AREA DIMENSIONS * Ume go bay length / passanger seat folded down go bay width between rear wheel arches go bay height ding height EIGHTS (KG)* ss vehicle mass (GVM) ss combination mass (GCM) b weight load ving weight, braked ving weight, un-braked MENSIONS (MM)* eelbase erall height erall length erall width (excluding door mirrors) | • |
| height cargo area lining It cargo tie down points It cargo area lighting ARGO AREA DIMENSIONS * Jume Ig go bay length /passanger seat folded down Ig go bay length /passanger seat folded down Ig go bay height Ig go bay heig | |
| AC Cargo tie down points prior cargo area lighting ARGO AREA DIMENSIONS * Jume go bay length /passanger seat folded down go bay width between rear wheel arches go bay height ding height EIGHTS (KG)* SIS vehicle mass (GVM) SIS combination mass (GCM) SIS vengith to be weight down wing weight, braked wing weight, un-braked MENSIONS (MM)* Beelbase Berall height Berall width (excluding door mirrors) Berall width (excluding door mirrors) | • |
| ARGO AREA DIMENSIONS * Ume go bay length /passanger seat folded down go bay width between rear wheel arches go bay height ding height EIGHTS (KG)* ss vehicle mass (GVM) ss combination mass (GCM) b weight load wing weight, braked wing weight, un-braked MENSIONS (MM)* eelbase erall height erall length erall width (excluding door mirrors) | • |
| ARGO AREA DIMENSIONS * Jume go bay length / passanger seat folded down go bay width between rear wheel arches go bay height ding height EIGHTS (KG)* ss vehicle mass (GVM) ss combination mass (GCM) b weight load ving weight, braked ving weight, un-braked MENSIONS (MM)* eelbase erall height erall length erall width (excluding door mirrors) | • |
| go bay length /passanger seat folded down go bay width between rear wheel arches go bay height ding height EIGHTS (KG)* ss vehicle mass (GVM) ss combination mass (GCM) b weight load wing weight, braked wing weight, un-braked MENSIONS (MM)* eelbase erall height erall length erall width (excluding door mirrors) | • |
| go bay length / passanger seat folded down go bay width between rear wheel arches go bay height ding height EIGHTS (KG)* ss vehicle mass (GVM) ss combination mass (GCM) b weight load ving weight, braked ving weight, un-braked MENSIONS (MM)* eelbase erall height erall length erall width (excluding door mirrors) | |
| go bay width between rear wheel arches go bay height ding height EIGHTS (KG)* ss vehicle mass (GVM) ss combination mass (GCM) b weight load ving weight, braked ving weight, un-braked MENSIONS (MM)* eelbase erall height erall width (excluding door mirrors) | 3.0m3 |
| go bay height ding height EIGHTS (KG)* ss vehicle mass (GVM) ss combination mass (GCM) b weight load wing weight, braked wing weight, un-braked MENSIONS (MM)* eelbase erall height erall length erall width (excluding door mirrors) | 1477 /2476 |
| ding height EIGHTS (KG)* ss vehicle mass (GVM) ss combination mass (GCM) b weight load ving weight, braked ving weight, un-braked MENSIONS (MM)* eelbase erall height erall length erall width (excluding door mirrors) | 1218 |
| EIGHTS (KG)* ss vehicle mass (GVM) ss combination mass (GCM) b weight load ving weight, braked ving weight, un-braked MENSIONS (MM)* eelbase erall height erall length erall width (excluding door mirrors) | 1251 |
| ss vehicle mass (GVM) ss combination mass (GCM) b weight load ving weight, braked ving weight, un-braked MENSIONS (MM)* eelbase erall height brall length erall width (excluding door mirrors) | 609 |
| ss combination mass (GCM) b weight load wing weight, braked wing weight, un-braked MENSIONS (MM)* eelbase erall height erall length erall width (excluding door mirrors) | |
| b weight load ving weight, braked ving weight, un-braked MENSIONS (MM)* eelbase erall height erall length erall width (excluding door mirrors) | 1810 |
| load ving weight, braked ving weight, un-braked MENSIONS (MM)* eelbase erall height erall length erall width (excluding door mirrors) | TBC |
| ving weight, braked ving weight, un-braked MENSIONS (MM)* eelbase erall height erall length erall width (excluding door mirrors) | 1270 |
| wing weight, un-braked MENSIONS (MM)* eelbase erall height erall length erall width (excluding door mirrors) | 540 |
| MENSIONS (MM)* eelbase erall height erall length erall width (excluding door mirrors) | TBC |
| eelbase erall height erall length erall width (excluding door mirrors) | TBC |
| erall height erall length erall width (excluding door mirrors) | |
| erall length erall width (excluding door mirrors) | 2697 |
| erall width (excluding door mirrors) | 1815 |
| | 4213 |
| arranty and Service | 1829 |
| | |
| rranty 3 years or 300,000km, whichever occurs sooner | • |
| dside Assistance 3 years | • |
| vice Interval 15,000kms or 12 months whichever occurs earlier | • |
| ontact | |
| ault New Zealand - National Contact Centre 0800 RENAULT www.renault.co.nz | |

Notes ● Std equipment , ○ Option ,* Approximate values ^ Manual Only , A Accessory

Images displayed are overseas models and are shown for illustration purposes only, Specification and pricing subject to change without notice

Renault KANGOO 1.2 tce

The practical tailor-made van







Number one selling Van range in Europe – 20 years running

